

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1B2: Union-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
1C2: Union-----	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
1D2: Union-----	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
2D: Goss-----	Very limited ~droughty (very limited) ~high erodibility (limited) ~small stones (slightly limited)	1.00 0.80 0.27	Limited ~high erodibility (limited) ~droughty (moderately limited) ~small stones (slightly limited)	0.80 0.37 0.27	Moderately limited ~droughty (moderately limited) ~small stones (slightly limited)	0.37 0.03	Moderately limited ~droughty (moderately limited)	0.37	Moderately limited ~droughty (moderately limited)	0.37

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2F: Goss-----	Very limited ~droughty (very limited) ~high erodibility (limited) ~slope (limited)	1.00 0.80 0.79	Limited ~high erodibility (limited) ~slope (limited) ~droughty (moderately limited)	0.80 0.79 0.39	Moderately limited ~droughty (moderately limited) ~small stones (slightly limited)	0.39 0.03	Moderately limited ~droughty (moderately limited)	0.39	Moderately limited ~droughty (moderately limited)	0.39
3: Twomile-----	Moderately limited ~wetness (moderately limited) ~percs slowly (moderately limited)	0.60 0.39	Moderately limited ~wetness (moderately limited) ~percs slowly (moderately limited)	0.60 0.39	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Limited ~wetness (limited)	0.99
5B: Hartville-----	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~moderate erodibility (moderately limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.50 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
5C: Hartville-----	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Limited ~high erodibility (limited) ~percs slowly (moderately limited) ~wetness (moderately limited)	0.80 0.39 0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51

Franklin County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6B: Bucklick-----	Moderately limited ~moderate erodibility (moderately limited) ~droughty (slightly limited)	0.50 0.01	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
6C: Bucklick-----	Limited ~high erodibility (limited) ~droughty (slightly limited)	0.80 0.01	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
6D: Bucklick-----	Limited ~high erodibility (limited) ~droughty (slightly limited)	0.80 0.01	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
6E: Bucklick-----	Limited ~high erodibility (limited) ~slope (slightly limited) ~droughty (slightly limited)	0.80 0.15 0.01	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Not limited		Not limited		Not limited	
6F: Bucklick-----	Limited ~high erodibility (limited) ~slope (limited)	0.80 0.72	Limited ~high erodibility (limited) ~slope (limited)	0.80 0.72	Not limited		Not limited		Not limited	

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6F: (cont)										
Gatewood-----	Very limited		Very limited		Slightly limited		Slightly limited		Slightly limited	
	~droughty	1.00	~percs slowly	1.00	~droughty	0.17	~depth to bedrock	0.30	~depth to bedrock	0.30
	(very limited)		(very limited)		(slightly limited)		(slightly limited)		(slightly limited)	
	~percs slowly	1.00	~high erodibility	0.80			~droughty	0.17	~droughty	0.17
	(very limited)		(limited)				(slightly limited)		(slightly limited)	
	~high erodibility	0.80	~slope	0.72						
	(limited)		(limited)							
7B:										
Menfro-----	Moderately limited		Moderately limited		Not limited		Not limited		Not limited	
	~moderate erodibility	0.50	~moderate erodibility	0.50						
	(moderately limited)		(moderately limited)							
7C2:										
Menfro-----	Limited		Limited		Not limited		Not limited		Not limited	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
7D2:										
Menfro-----	Limited		Limited		Not limited		Not limited		Not limited	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
7E2:										
Menfro-----	Limited		Limited		Not limited		Not limited		Not limited	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
	~slope	0.15	~slope	0.15						
	(slightly limited)		(slightly limited)							
7F:										
Menfro-----	Limited		Limited		Not limited		Not limited		Not limited	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
	~slope	0.72	~slope	0.72						
	(limited)		(limited)							

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8B: Crider-----	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~moderate erodibility (moderately limited)	0.50	Not limited		Not limited		Not limited	
8C2: Crider-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
8D2: Crider-----	Limited ~high erodibility (limited)	0.80	Limited ~high erodibility (limited)	0.80	Not limited		Not limited		Not limited	
8E: Crider-----	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Limited ~high erodibility (limited) ~slope (slightly limited)	0.80 0.15	Not limited		Not limited		Not limited	
10F: Gasconade-----	Very limited ~droughty (very limited) ~percs slowly (very limited) ~shallow to bedrock (very limited)	1.00 1.00 1.00	Very limited ~droughty (very limited) ~percs slowly (very limited) ~shallow to bedrock (very limited)	1.00 1.00 1.00	Very limited ~droughty (very limited) ~too clayey (moderately limited) ~large stones (moderately limited)	1.00 0.38 0.30	Very limited ~droughty (very limited) ~shallow to bedrock (very limited) ~too clayey (moderately limited)	1.00 1.00 0.38	Very limited ~shallow to bedrock (very limited) ~droughty (very limited) ~large stones (moderately limited)	1.00 1.00 0.30
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
12: Bremer-----	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Limited ~wetness (limited)	0.99
	~percs slowly (slightly limited)	0.13	~percs slowly (slightly limited)	0.13	~too clayey (slightly limited)	0.04	~too clayey (slightly limited)	0.04		
	~too clayey (slightly limited)	0.04	~too clayey (slightly limited)	0.04						
13A: Auxvasse-----	Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Moderately limited ~wetness (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.60	Limited ~wetness (limited)	0.99
	~wetness (moderately limited)	0.60	~wetness (moderately limited)	0.60						
	~moderate erodibility (moderately limited)	0.50	~moderate erodibility (moderately limited)	0.50						
14C: Hobson-----	Limited ~droughty (limited)	0.81	Moderately limited ~moderate erodibility (moderately limited)	0.50	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
	~moderate erodibility (moderately limited)	0.50	~percs slowly (moderately limited)	0.39						
	~percs slowly (moderately limited)	0.39	~wetness (moderately limited)	0.36						
14D: Hobson-----	Limited ~droughty (limited)	0.81	Limited ~high erodibility (limited)	0.80	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.51
	~high erodibility (limited)	0.80	~percs slowly (moderately limited)	0.39						
	~percs slowly (moderately limited)	0.39	~wetness (moderately limited)	0.36						

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
15: Gladden-----	Limited ~flooding (limited) ~droughty (moderately limited)	0.90 0.53	Limited ~flooding (limited)	0.90	Not limited		Not limited		Not limited	
Midco-----	Very limited ~droughty (very limited) ~flooding (limited) ~small stones (moderately limited)	1.00 0.90 0.47	Very limited ~droughty (very limited) ~flooding (limited) ~small stones (moderately limited)	1.00 0.90 0.47	Very limited ~droughty (very limited) ~small stones (slightly limited)	1.00 0.08	Very limited ~droughty (very limited)	1.00	Very limited ~droughty (very limited)	1.00
16: Blake-----	Slightly limited ~too clayey (slightly limited)	0.10	Slightly limited ~too clayey (slightly limited)	0.10	Slightly limited ~too clayey (slightly limited)	0.10	Slightly limited ~too clayey (slightly limited)	0.10	Slightly limited ~wetness (slightly limited)	0.29
Waldron-----	Moderately limited ~too clayey (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.47 0.44 0.39	Moderately limited ~too clayey (moderately limited) ~wetness (moderately limited) ~percs slowly (moderately limited)	0.47 0.44 0.39	Moderately limited ~too clayey (moderately limited) ~wetness (moderately limited)	0.47 0.44	Moderately limited ~too clayey (moderately limited) ~wetness (moderately limited)	0.47 0.44	Moderately limited ~wetness (moderately limited)	0.59
17: Hodge-----	Very limited ~droughty (very limited) ~flooding (limited) ~too sandy (moderately limited)	1.00 0.90 0.50	Limited ~flooding (limited) ~too sandy (moderately limited) ~droughty (slightly limited)	0.90 0.50 0.20	Moderately limited ~too sandy (moderately limited) ~flooding (prolonged) (slightly limited) ~droughty (slightly limited)	0.50 0.20 0.20	Moderately limited ~too sandy (moderately limited) ~flooding (prolonged) (slightly limited) ~droughty (slightly limited)	0.50 0.20 0.20	Slightly limited ~flooding (prolonged) (slightly limited) ~droughty (slightly limited)	0.20 0.20

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
17: (cont)										
Blake-----	Limited		Limited		Slightly limited		Slightly limited		Slightly limited	
	~flooding (limited)	0.90	~flooding (limited)	0.90	~flooding (prolonged) (slightly limited)	0.20	~flooding (prolonged) (slightly limited)	0.20	~wetness (slightly limited)	0.29
	~too clayey (slightly limited)	0.10	~too clayey (slightly limited)	0.10	~too clayey (slightly limited)	0.10	~too clayey (slightly limited)	0.10	~flooding (prolonged) (slightly limited)	0.20
19:										
Haynie-----	Not limited		Not limited		Not limited		Not limited		Not limited	
Waldron-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						
20:										
Hodge-----	Very limited		Very limited		Very limited		Very limited		Slightly limited	
	~too sandy (very limited)	1.00	~too sandy (very limited)	1.00	~too sandy (very limited)	1.00	~too sandy (very limited)	1.00	~droughty (slightly limited)	0.25
	~droughty (very limited)	1.00	~droughty (slightly limited)	0.25	~droughty (slightly limited)	0.25	~droughty (slightly limited)	0.25		
Haynie-----	Not limited		Not limited		Not limited		Not limited		Not limited	
22:										
Waldron-----	Moderately limited		Moderately limited		Moderately limited		Moderately limited		Moderately limited	
	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~too clayey (moderately limited)	0.47	~wetness (moderately limited)	0.59
	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44	~wetness (moderately limited)	0.44		
	~percs slowly (moderately limited)	0.39	~percs slowly (moderately limited)	0.39						



## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
22: (cont)										
Booker-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness	1.00	~wetness	1.00	~wetness	1.00	~wetness	1.00	~wetness	1.00
	(very limited)		(very limited)		(very limited)		(very limited)		(very limited)	
	~percs slowly	1.00	~percs slowly	1.00	~too clayey	0.69	~too clayey	0.69		
	(very limited)		(very limited)		(limited)		(limited)			
	~droughty	0.91	~too clayey	0.69						
	(limited)		(limited)							
23C2:										
Winfield-----	Limited		Limited		Not limited		Not limited		Slightly limited	
	~high erodibility	0.80	~high erodibility	0.80					~wetness	0.22
	(limited)		(limited)						(slightly limited)	
23D2:										
Winfield-----	Limited		Limited		Not limited		Not limited		Slightly limited	
	~high erodibility	0.80	~high erodibility	0.80					~wetness	0.22
	(limited)		(limited)						(slightly limited)	
24E:										
Gatewood-----	Very limited		Very limited		Slightly limited		Slightly limited		Slightly limited	
	~droughty	1.00	~percs slowly	1.00	~droughty	0.13	~depth to bedrock	0.27	~depth to bedrock	0.27
	(very limited)		(very limited)		(slightly limited)		(slightly limited)		(slightly limited)	
	~percs slowly	1.00	~high erodibility	0.80			~droughty	0.13	~droughty	0.13
	(very limited)		(limited)				(slightly limited)		(slightly limited)	
	~high erodibility	0.80	~depth to bedrock	0.27						
	(limited)		(slightly limited)							
25E:										
Beemont-----	Very limited		Very limited		Slightly limited		Not limited		Not limited	
	~percs slowly	1.00	~percs slowly	1.00	~small stones	0.09				
	(very limited)		(very limited)		(slightly limited)					
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
	~small stones	0.50	~small stones	0.50						
	(moderately limited)		(moderately limited)							

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
29F: Menfro-----	Limited ~slope (limited) ~high erodibility (limited)	0.99	Limited ~slope (limited) ~high erodibility (limited)	0.99	Not limited		Not limited		Not limited	
Bardley-----	Very limited ~percs slowly (very limited) ~droughty (very limited) ~slope (limited)	1.00	Very limited ~percs slowly (very limited) ~slope (limited) ~high erodibility (limited)	1.00	Slightly limited ~droughty (slightly limited)	0.02	Slightly limited ~depth to bedrock (slightly limited) ~droughty (slightly limited)	0.24	Slightly limited ~depth to bedrock (slightly limited) ~droughty (slightly limited)	0.24
31: Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Udorthents-----	Not Rated		Not Rated		Not Rated		Not Rated		Not Rated	
	Not Rated		Not Rated		Not Rated		Not Rated			
32: Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Franklin County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
36F: Bardley-----	Very limited ~droughty (very limited) ~percs slowly (very limited) ~slope (limited)	 1.00  1.00  0.99	Very limited ~percs slowly (very limited) ~slope (limited) ~high erodibility (limited)	 1.00  0.99  0.80	Slightly limited ~droughty (slightly limited) ~small stones (slightly limited)	 0.30  0.07	Slightly limited ~droughty (slightly limited) ~depth to bedrock (slightly limited)	 0.30  0.06	Slightly limited ~droughty (slightly limited) ~depth to bedrock (slightly limited)	 0.30  0.06
38A: Haymond-----	Limited ~flooding (limited)	 0.90	Limited ~flooding (limited)	 0.90	Not limited		Not limited		Not limited	
Riverwash-----	Not rated		Not rated		Not rated		Not rated		Not rated	
39: Haymond-----	Not Rated Not Rated ~flooding (moderately limited)	  0.60	Not Rated Not Rated ~flooding (moderately limited)	  0.60	Not limited		Not limited		Not limited	
40A: Racoon-----	Very limited ~wetness (very limited) ~flooding (moderately limited) ~percs slowly (moderately limited)	 1.00  0.60  0.39	Very limited ~wetness (very limited) ~flooding (moderately limited) ~percs slowly (moderately limited)	 1.00  0.60  0.39	Very limited ~wetness (very limited)	 1.00	Very limited ~wetness (very limited)	 1.00	Very limited ~wetness (very limited)	 1.00

Franklin County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
43: Cedargap-----	Limited ~flooding (limited) ~small stones (limited) ~droughty (moderately limited)	 0.90  0.75  0.32	Limited ~flooding (limited) ~small stones (limited)	 0.90  0.75	Slightly limited ~small stones (slightly limited)	0.15	Not limited		Not limited	
44: Gladden-----	Moderately limited ~flooding (moderately limited) ~droughty (moderately limited)	 0.60  0.53	Moderately limited ~flooding (moderately limited)	 0.60	Not limited		Not limited		Not limited	
45: Pope-----	Moderately limited ~flooding (moderately limited)	 0.60	Moderately limited ~flooding (moderately limited)	 0.60	Not limited		Not limited		Not limited	
46F: Lily-----	Limited ~droughty (limited) ~high erodibility (limited) ~slope (moderately limited)	 0.87  0.80  0.60	Limited ~high erodibility (limited) ~slope (moderately limited) ~percs slowly (moderately limited)	 0.80  0.60  0.39	Not limited		Slightly limited ~depth to bedrock (slightly limited)	0.27	Slightly limited ~depth to bedrock (slightly limited)	0.27
Holstein-----	Limited ~high erodibility (limited) ~slope (moderately limited)	 0.80  0.60	Limited ~high erodibility (limited) ~slope (moderately limited)	 0.80  0.60	Not limited		Not limited		Not limited	

## Franklin County, Missouri: Detailed Soil Map Legend

## Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
46F: (cont)										
Ramsey-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~droughty	1.00	~droughty	1.00	~droughty	1.00	~droughty	1.00	~shallow to bedrock	1.00
	(very limited)		(very limited)		(very limited)		(very limited)		(very limited)	
	~shallow to bedrock	1.00	~shallow to bedrock	1.00			~shallow to bedrock	1.00	~droughty	1.00
	(very limited)		(very limited)				(very limited)		(very limited)	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
47D:										
Hobson-----	Limited		Limited		Moderately limited		Moderately limited		Moderately limited	
	~high erodibility	0.80	~high erodibility	0.80	~wetness	0.36	~wetness	0.36	~wetness	0.51
	(limited)		(limited)		(moderately limited)		(moderately limited)		(moderately limited)	
	~droughty	0.68	~percs slowly	0.39						
	(limited)		(moderately limited)							
	~percs slowly	0.39	~wetness	0.36						
	(moderately limited)		(moderately limited)							
Lily-----	Limited		Limited		Not limited		Slightly limited		Slightly limited	
	~droughty	0.94	~high erodibility	0.80			~depth to bedrock	0.30	~depth to bedrock	0.30
	(limited)		(limited)				(slightly limited)		(slightly limited)	
	~high erodibility	0.80	~percs slowly	0.39						
	(limited)		(moderately limited)							
	~percs slowly	0.39	~depth to bedrock	0.30						
	(moderately limited)		(slightly limited)							
Ramsey-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~droughty	1.00	~droughty	1.00	~droughty	1.00	~droughty	1.00	~shallow to bedrock	1.00
	(very limited)		(very limited)		(very limited)		(very limited)		(very limited)	
	~shallow to bedrock	1.00	~shallow to bedrock	1.00			~shallow to bedrock	1.00	~droughty	1.00
	(very limited)		(very limited)				(very limited)		(very limited)	
	~high erodibility	0.80	~high erodibility	0.80						
	(limited)		(limited)							
AED:										
Orthent-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Franklin County, Missouri: Detailed Soil Map Legend

Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Grain and seed crops (for use as food and cover)		Domestic grasses and legumes (for use as food and cover)		Upland wild herbaceous plants		Upland shrubs and vines		Upland deciduous trees	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	